PRODUCT BOOK 2025/2026

ENGLISH



SKI



SNOWBOARD









CONTOUR ALL MOUNTAIN

CONTENT

| 100% SWISS MADE TECHNOLOGY | | 6 |
|-------------------------------|---|----|
| SKI | _ | |
| THE FLASH | | 9 |
| THE PYTHON | | 10 |
| THE PHANTOM | | 11 |
| THE PHANTOM-S | | 12 |
| THE PANDORA | | 13 |
| THE PANDORA-S | | 14 |
| THE HELIX | | 15 |
| THE SPIRIT | | 16 |
| SKI BINDINGS | | 17 |
| SKI ACCESSOIRES | | 18 |
| | | |
| | | |

SNOWBOARD

DISTRIBUTION

| THE ALPINE WC | 20 |
|-----------------|------------------|
| THE ALPINE | 21 |
| X-CARVE | 22 |
| AIR-CARVE | 23 |
| THE CROSS | 24 |
| THE CROSS LIGHT | 25 |
| CONTOUR | 26 |
| SNOWBOARD PLATE | ES AND COVERS 27 |
| CONTACT | 28 |

28

Prices and product specifications subject to change.

Version: 14.02.2025

MANUFACTURE

Every ski and snowboard is designed, developed and produced in Schwanden in the Canton of Glarus. Precise handiwork and a love for detail guarantee that our products are of the highest quality possible.

From the first blueprints to the wellengineered end products, our skis and snowboards go through elaborate development and production processes. Swiss craftsmanship paired with modern technology ensure that our products meet the highest quality and performance standards.

The results are perfectly handcrafted products - Made in Switzerland.





PRODUCTION SITE IN SWITZERLAND

By manufacturing our products exclusively in Switzerland, we deliberately set up a countertrend in the ski industry. This has significant advantages in many respects. Thanks to the local infrastructure, new ideas and feedback from nearby test routes can directly influence our products. By controlling every production process, we can ensure that innovative developments are integrated into our products to ensure their high quality and performance.

«Modern production technology, as well as nearby test routes, form the backbone

of our well-engineered and high-quality products.»

TECHNOLOGY

TIMELESS DESIGN

We demand the highest quality from our raw materials and handle them with passion and precision. Beneath the timeless and spatially optimized surface of our products are only premium materials.

The exquisite wood at the core is still the best recipe against unwanted vibration and for high performance. Depending on the area of application, the selected sidewall materials ensure maximum ice grip. Every component of Kessler products deserves the «Premium» seal according to our credo: «Pure Exterior, Maximum Power Interior.»

PURE EXTERNAL AESTHETICS...










...MAXIMIZED INTERNAL PERFORMANCE

PATENTED TECHNOLOGY

KST (Klothoid Shape Technology) is the patented technology used in all of our products. This type of construction was originally developed for snowboard racing and was successfully adopted for the manufacture of skis. With KST, different radii, which are achieved depending on the angle of the skis, define the driving line. As a result, the ski is more versatile. Small, tight curves, as well as wide curves, are possible with the same ski.

The original construction has been constantly perfected during the last 20 years thanks to the close collaboration with Olympians and world champions. This experience can be felt in every product and is revealed through the high performance and easy handling of every one of our skis and snowboards.





SWISS CRAFTSMANSHIP

ALPINE RACE

THE FLASH

THE FLASH - your new Kessler ski that's sure to wow you! With a new shovel shape, the Kessler ski, THE FLASH, ensures lightning-fast turning and precise turns - even faster if you wish! The innovative KST technology allows you to vary the radii as you wish so that you can always adapt perfectly on the piste.

For all those who want to maximize their fun factor on the slopes. Perfect for anyone who loves a new ski feeling and control.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS


| LEVEL | | STYLE | |
|----------|--------|----------|---------|
| BEGINNER | •••••• | RACING | ••••••• |
| ADVANCED | •••••• | CARVING | •••••• |
| EXPERT | •••••• | ALL MTN | ••••• |
| | | FREERIDE | ••••• |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | ••••••• |
| FAST | ••••• | WIDE | ••••• |
| | | | |

SPECIFICATIONS

| Length | 1.55 m | 1.60 m | 1.65 m | 1.70 m |
|----------------|--------|--------|--------|--------|
| Tip width | 119 mm | 119 mm | 119 mm | 119 mm |
| Waist width | 67 mm | 67 mm | 67 mm | 67 mm |
| Tail width | 104 mm | 104 mm | 104 mm | 104 mm |
| Average radius | 11.8 m | 12.6 m | 13.4 m | 14.2 m |

OPTIONS

| ArtNo. | Length | • | | |
|---------------------------------------|--------|--------|--------|--------|
| KS70.421 Flash PR w. Power Rail | 1.55 m | 1.60 m | 1.65 m | 1.70 m |
| KS70.422 Flash RaceP w. Race Plate | 1.55 m | 1.60 m | 1.65 m | 1.70 m |



THE PYTHON

The performance of a World Cup ski paired with the unique Kessler Shape Technology make the PYTHON the sportiest Kessler ski that has ever existed. Ambitious skiers will appreciate the benefits of the new construction method, which, together with the increased amount of built-in Titanal, ensures that the ski has more torsional stiffness, provides a better grip on ice, and is nevertheless lighter. The optimized stiffness distribution of the PYTHON ensures an impressive riding experience when making short turns on steep slopes and for long carving turns as well.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS


| LEVEL | | STYLE | |
|----------|--------|----------|--------|
| BEGINNER | | RACING | •••••• |
| ADVANCED | •••••• | CARVING | •••••• |
| EXPERT | ••••• | ALL MTN | ••••• |
| | | FREERIDE | ••••• |
| | | | |
| SPEED | | RADIUS | |
| MODERATE | •••• | TIGHT | ••••• |
| FAST | ••••• | WIDE | ••••• |
| | | | |

SPECIFICATIONS

| Length | 1.54 m | 1.60 m | 1.66 m | 1.72 m |
|----------------|------------|-------------|-----------|----------|
| Tip width | 123 mm | 124 mm | 125 mm | 123 mm |
| Waist width | 68 mm | 68 mm | 68 mm | 68 mm |
| Tail width | 105 mm | 106 mm | 107 mm | 106 mm |
| Side Cut Range | 8.5-10.5 m | 9.5 –12.5 m | 10-13.5 m | 11 –15 m |

OPTIONS

| KS70.342 Python RaceP 1.54 m 1.60 m w. Race Plate | 1.66 m | 1.72 m |
|---|--------|--------|



ALPINE RACE

THE PHANTOMS

The side cut and reduced upward bend allows motions to be fluid and direct and the reaction time of the PHANTOM-S has also been reduced. Turns can be taken even faster and with more precision. Its patented Kessler Shape Technology (KST) also ensures the ease of use and maximum control. Thanks to variable radii, the performance secrets of Kessler-Swiss, one experiences the new driving experience of the PHANTOM-S at the highest level.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------|----------|--------|
| BEGINNER | •••• | RACING | ••••• |
| ADVANCED | ••••• | CARVING | •••• |
| EXPERT | ••••• | ALL MTN | •••• |
| | | FREERIDE | ••••• |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | ••••• |
| FAST | ••••• | WIDE | •••••• |

SPECIFICATIONS

| Length | 1.60 m | 1.66 m | 1.72 m | 1.78 m |
|----------------|------------|-----------|----------|----------|
| Tip width | 124 mm | 125 mm | 123 mm | 119 mm |
| Waist width | 68 mm | 68 mm | 68 mm | 68 mm |
| Tail width | 106 mm | 107 mm | 106 mm | 101 mm |
| Side Cut Range | 9.5-12.5 m | 10-13.5 m | 11 –15 m | 14 –18 m |

OPTIONS

| ArtNo. | Length | | | |
|---|--------|--------|--------|--------|
| KS70.431 Phantom-S PR w. Power Rail | 1.60 m | 1.66 m | 1.72 m | 1.78 m |
| KS70.432 Phantom-S RaceP w. Race Plate | 1.60 m | 1.66 m | 1.72 m | 1.78 m |

Recommended bindings: KS71.074 PRD 12 GW black, KS71.023 FF 14 GW



ALPINE PISTE

THE PHANTOM

Is compromise not your thing? Will only the best equipment do? Then you want THE PHANTOM! It provides easy handling and superior racing capability along with unprecedented grip on the edges. This is combined with ultimate stability and extreme comfort, whether going at top speed or simply in cruise mode. THE PHANTOM provides uncompromised performance.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|--------|----------|--------|
| BEGINNER | •••••• | RACING | •••••• |
| ADVANCED | ••••• | CARVING | •••••• |
| EXPERT | •••••• | ALL MTN | •••••• |
| | | FREERIDE | •••••• |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | •••••• |
| FAST | ••••• | WIDE | •••••• |
| | | | |

SPECIFICATIONS

| Length | 1.57 m | 1.63 m | 1.69 m | 1.75 m |
|----------------|----------|--------|----------|----------|
| Tip width | 125 mm | 124 mm | 125 mm | 123 mm |
| Waist width | 68 mm | 68 mm | 70 mm | 70 mm |
| Tail width | 108 mm | 108 mm | 108 mm | 108 mm |
| Side Cut Range | 6.5-12 m | 7–13 m | 8-14.5 m | 11 –16 m |

OPTIONS

| ArtNo. | Length | | | |
|---------------------|--------|--------|--------|--------|
| KS70.411 Phantom PR | 1.57 m | 1.63 m | 1.69 m | 1.75 m |
| w. Power Rail | | | | |

Recommended Binding: KS71.074 PRD 12 GW black



ALPINE RACE

THE PANDORAS

Do you think only men have the right to power? Then why would we have developed THE PANDORA-S? With THE PANDORA-S, we provide you with the ultimate carving device, with the same features that also characterize THE PHANTOM and THE PHANTOM-S. The variable radii provided by Kessler Shape Technology ensures optimum driving performance, easy handling and high performance. All with a simply beautiful, discreet look for the most ambitious sportswomen.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec brushed Topsheet

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------|----------|-------|
| BEGINNER | •••• | RACING | ••••• |
| ADVANCED | ••••• | CARVING | •••• |
| EXPERT | ••••• | ALL MTN | ••••• |
| | | FREERIDE | |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | ••••• |
| FAST | ••••• | WIDE | ••••• |

SPECIFICATIONS

| Length | 1.54 m | 1.60 m | 1.66 m |
|----------------|------------|-----------|------------|
| Tip width | 123 mm | 124 mm | 125 mm |
| Waist width | 68 mm | 68 mm | 68 mm |
| Tail width | 105 mm | 106 mm | 107 mm |
| Side Cut Range | 8.5-10.5 m | 9.5 –13 m | 10 –13.5 m |

OPTIONS

| ArtNo. | Length | | |
|--|--------|--------|--------|
| KS70.471 Pandora-S PR w. Power Rail | 1.54 m | 1.60 m | 1.66 m |
| | | | |

Recommended binding: KS71.075 PRD 12 GW white



ALPINE PISTE

THE PANDORA

Women's liberation in skiing: THE PANDORA, the first high-performance women's ski. Thanks to a rigorous application of Kessler Shape Technology (KST), this ingenious lightweight solution combines snow riders' needs with feminine geometry. The result: a ski that packs a powerful punch with breathtaking skiing style. Girlie skis and flower designs? No way!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F brushed Topsheet

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|--------|----------|--------|
| BEGINNER | •••••• | RACING | •••••• |
| ADVANCED | ••••• | CARVING | •••••• |
| EXPERT | ••••• | ALL MTN | •••••• |
| | | FREERIDE | •••••• |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | •••••• |
| FAST | ••••• | WIDE | •••••• |


SPECIFICATIONS

| Length | 1.45 m | 1.51 m | 1.57 m | 1.63 m |
|----------------|--------|----------|----------|--------|
| Tip width | 119 mm | 120 mm | 125 mm | 124 mm |
| Waist width | 68 mm | 66 mm | 68 mm | 68 mm |
| Tail width | 104 mm | 103 mm | 108 mm | 108 mm |
| Side Cut Range | 6-11 m | 6.5-12 m | 6.5-12 m | 7–13 m |

OPTIONS

| ArtNo. | Length | | | |
|--|--------|--------|--------|--------|
| KS70.451 Pandora PR w. Power Rail | 1.45 m | 1.51 m | 1.57 m | 1.63 m |
| KS70.354 Pandora PR SLV w. Power Rail | 1.45 m | 1.51 m | 1.57 m | 1.63 m |

Recommended binding: KS71.075 PRD 12 GW white



ALPINE PISTE

THE HELIX

Are you ambitious but want things to stay relaxed? Then choose the chilledout cousin of the THE PHANTOM. Because if you're not chasing a gold medal but still want total speed and bliss on the slopes, then THE HELIX is the perfect concept for you. THE HELIX offers high levels of safety with its clever edge grip and a reduced need for strength, making the rider and ski appear as one. THE HELIX is for pure riding pleasure!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------|----------|-------|
| BEGINNER | •••• | RACING | ••••• |
| ADVANCED | ••••• | CARVING | ••••• |
| EXPERT | ••••• | ALL MTN | ••••• |
| | | FREERIDE | •••• |
| SPEED | | RADIUS | |
| MODERATE | ••••• | TIGHT | ••••• |
| FAST | ••••• | WIDE | ••••• |

SPECIFICATIONS

| Length | 1.66 m | 1.74 m | 1.82 m |
|----------------|-----------|------------|----------|
| Tip width | 125 mm | 124 mm | 123 mm |
| Waist width | 74 mm | 74 mm | 74 mm |
| Tail width | 110 mm | 108 mm | 107 mm |
| Side Cut Range | 10.5-14 m | 12.5 –16 m | 14 –18 m |

OPTIONS

| ArtNo. | Length | | |
|---------------------|--------|--------|--------|
| KS70.065 Helix flat | 1.66 m | 1.74 m | 1.82 m |
| KS70.066 Helix PR | 1.66 m | 1.74 m | 1.82 m |
| w. Power Rail | | | |

Recommended Binding: KS71.074 PRD 12 GW black



ALLMOUNTAIN PISTE

THE SPIRIT

Freeriding soul and carvin power come together to form the perfect all-mountain ski. It offers the ideal balance between flex and edge grip, and allows effortless stable turns at all speeds whilst being flexible enough to adapt to your individual personal style!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- Phenol Sidewalls
- sintered Base
- scratch-resistant K.Tec F flamed Topsheet

CHARACTERISTICS

| LEVEL BEGINNER ADVANCED EXPERT | ••••• | STYLE RACING CARVING ALL MTN FREERIDE | |
|---|-------|---------------------------------------|------|
| SPEED MODERATE FAST | ••••• | RADIUS TIGHT WIDE | •••• |


SPECIFICATIONS

| Length | 1.71 m | 1.78 m |
|----------------|---------|---------|
| Tip width | 122 mm | 126 mm |
| Waist width | 85 mm | 88 mm |
| Tail width | 113 mm | 118 mm |
| Side Cut Range | 15-19 m | 16-20 m |

OPTIONS

| ArtNo. | Length | |
|----------------------|--------|--------|
| KS70.156 Spirit flat | 1.71 m | 1.78 m |
| KS70.157 Spirit PR | 1.71 m | 1.78 m |
| w. Power Rail | | |

Recommended Binding: KS71.074 PRD 12 GW black



SKI BINDINGS

PRD 12 GW black

- Grip walk System
- RX Toe with TRP System
- Full Diagonal (Heel and Toe)
- AFS Slide bearing element
- PowerRail / Multiflex
- D-RX (Diagonal) Heel

Color: black
Stand Height: 33.5 mm
DIN: 3.5 - 12
Weight: 2.06 kg

Art.-No. KS71.074

PRD 12 GW white

- Grip walk System
- RX Toe with TRP System
- Full Diagonal (Heel and Toe)
- AFS Slide bearing element
- PowerRail / Multiflex
- D-RX (Diagonal) Heel

Color: white
Stand Height: 33.5 mm
DIN: 3.5 – 12
Weight: 2.06 kg

Art.-No. KS71.075



- Stream Toe
- AFD ST Teflon
- Freeflex / Race Plate
- Race Pro Heel

Color: black

Stand Height: 17 mm (without plate)

DIN: 4 – 14 Weight: 2.49 kg

Art.-No. KS71.021

FF DEMO 14 GW renta

- Grip walk System
- RX Toe with TRP System
- Full Diagonal (Heel and Toe)
- AFS Slide bearing element
- Freeflex Demo / Race Plate
- NX Heel

Color: black / white
Stand Height: 21 mm (without plate)

DIN: 4 – 14 Weight: 2.65 kg

Art.-No. KS71.025

FF 14 GW

- Freeflex Pro / Race Plate
- RX Toe with TRP system
- Full Diagonal
- AFS GW
- D-RX Heel

Color: black

Stand Height: 21 mm (without plate)

DIN: 4 – 14 Weight: 2.32 kg

Art.-No. KS71.023



SKI ACCESSOIRES

SKI POLES

- EVA foam grip
- Carbon
- Race basket
- Flex steel tip
- system strap
- Ø 13/9 mm conical



| Size | | 110 cm | 115 cm | 120 cm | 125 cm | 130 cm |
|--------|----------|---------------------------------------|--------|---------------------------------------|---------------------------------------|--------|
| | | · · · · · · · · · · · · · · · · · · · | | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · | |
| ArtNo. | KS74.010 | | | | | |

Carbon white

| Size | | 115 cm | 125 cm |
|--------|----------|------------|------------|
| ArtNo. | KS74.020 | | |

SKIBAG

- For one pair of ski up tp 169 cm including poles
- Padded compartment; separate pole pocket
- Detachable shoulder strap

Art.-No. KS73.010



THE ALPINE WC Worldcup

With the new ALPINE Worldcup, Kessler has developed a snowboard that is optimally adapted to the new conditions in racing. The consistent application of the Kessler Shape Technology gives the rider full control over the board as usual. With the newly developed Torsion Power Control System (TPCS), even more energy can be stored in the swing, which then dynamically supports the swing change. The adapted geometry allows maximum speed at the exit of the turn. Success is pre-programmed.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec X woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

LEVEL

BEGINNER ADVANCED EXPERT STYLE

RACING CARVING ALL MTN

FREERIDE

SPECIFICATIONS

| Length | 1.56 m | 1.62m | 1.77 m | 1.86 m | |
|--------------------|----------|----------|----------|----------|--|
| Tip width | 252 mm | 261 mm | 243 mm | 250 mm | |
| Waist width | 192 mm | 200 mm | 192 mm | 200 mm | |
| Tail width | 234 mm | 243 mm | 223 mm | 230 mm | |
| Average radius | 10 m | 11 m | 16.5 m | 19 m | |
| Recommended stance | 480 mm | 500 mm | 480 mm | 500 mm | |
| Stance range (mm) | 440-520 | 460-540 | 440-520 | 460-540 | |
| Rider weight | 55-75 kg | 75-90 kg | 55-75 kg | 75-90 kg | |

OPTIONS

| ArtNo. | | Length | | | |
|--------------------|---------------|--------|--------|--------|--------|
| KS90.030 | The Alpine WC | 1.56 m | 1.62 m | 1.77 m | 1.86 m |
| w. Allflex inserts | | | | | |

ALLFLEX narrow fits for ALPINE 1.56 m, 1.77 m ALLFLEX wide fits for ALPINE 1.62 m, 1.86 m





RACE/SLALOM

THE ALPINE

No other board has won more medals or titles at international events than THE ALPINE. Snowboarding professionals around the world highly rate the steady edge grip and the control provided in all conditions due to the Kessler Shape Technology. THE ALPINE provides easy handling when competing and racing, as well as during freestyle carving on icy terrain. Feel at ease from the very first turn, no matter what level you are at. Ambitious carvers love the THE ALPINE!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec F woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| • | | | |
|---|-------|----------|---------|
| LEVEL | | STYLE | |
| BEGINNER | ••••• | RACING | •••••• |
| ADVANCED | ••••• | CARVING | •••••• |
| EXPERT | ••••• | ALL MTN | • • • • |
| | | FREERIDE | • • |

SPECIFICATIONS

| Length | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
|--------------------|----------|----------|----------|----------|----------|-----------|-----------|
| Tip width | 251 mm | 258 mm | 264 mm | 268 mm | 248 mm | 250 mm | 251 mm |
| Waist width | 190 mm | 195 mm | 200 mm | 202 mm | 195 mm | 200 mm | 202 mm |
| Tail width | 235 mm | 241 mm | 246 mm | 250 mm | 232 mm | 232 mm | 233 mm |
| Side Cut Range | 7–10 m | 7–11 m | 7–12 m | 8–12 m | 9–16 m | 11.5–19 m | 12-21 m |
| Recommended stance | 440 mm | 460 mm | 500 mm | 500 mm | 480 mm | 500 mm | 500 mm |
| Stance range (mm) | 400-480 | 420-500 | 460-540 | 460-540 | 440-520 | 460-540 | 460-540 |
| Rider weight | 45-65 kg | 55-75 kg | 65-95 kg | 65-95 kg | 55-80 kg | 60-85 kg | 75–100 kg |

OPTIONS

| ArtNo. | | Color | Length | | | | | | |
|--------------|------------|-------|--------|--------|--------|--------|--------|--------|--------|
| KS90.013 | The Alpine | black | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.023 | The Alpine | white | 1.50 m | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.013.ALF | The Alpine | black | | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |
| KS90.023.ALF | The Alpine | white | | 1.56 m | 1.62 m | 1.68 m | 1.71 m | 1.80 m | 1.85 m |

ALF:

ALLFLEX narrow fits for ALPINE 1.56 m, 1.71 m ALLFLEX wide fits for ALPINE 1.62 m, 1.68 m, 1.80 m, 1.85 m



BOARDER X

X-CARVE

X-CARVE, the new board from Kessler's range of snowboards, provides for even faster and more precise carving. The proven construction of Kessler snowboards with multiple titanium layers ensures that the board rides smoothly and has torsional stiffness. A progressively decreasing sidecut in the tail area paired with the modern design at the front raises the carving experience to a new level. The board's width and 6x2 inserts give you increased flexibility to achieve your optimal binding setting.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL |
|----------|
| BEGINNER |
| ADVANCED |

EXPERT

STYLE RACING CARVING ALL MTN FREERIDE


SPECIFICATIONS

| Length | 1.54m | 1.59 m | 1.64 m | 1.69 m |
|--------------------|----------|----------|----------|-----------|
| Tip width | 304 mm | 308 mm | 309 mm | 309 mm |
| Waist width | 250 mm | 255 mm | 260 mm | 264 mm |
| Tail width | 289 mm | 293 mm | 294 mm | 295 mm |
| Average radius | 9.5 m | 10.5 m | 12.5 m | 14.5 m |
| Recommended stance | 510 mm | 530 mm | 550 mm | 570 mm |
| Stance range (mm) | 450-570 | 470-590 | 490-610 | 510-630 |
| Rider weight | 50-80 kg | 55-85 kg | 65-95 kg | 80-105 kg |

OPTIONS

| ArtNo. | Color | Length | | | | |
|------------------|-------|--------|--------|--------|--------|--|
| KS90.040 X-CARVE | black | 1.54 m | 1.59 m | 1.64 m | 1.69 m | |
| KS90.041 X-CARVE | white | 1.54 m | 1.59 m | 1.64 m | 1.69 m | |

Specifically developed for the X-CARVE: Art.-No.: KS91.032 K.Plate Rocket Cross



BOARDER X

AIR-CARVE

The new Air-Carve snowboard from Kessler. Pure joy on the slopes! With more pop thanks to high-quality carbon, it takes your style to the next level. The soft flex ensures a playful, adaptable ride that hugs the snow perfectly. Experience how your board carries you over the mountain with positive energy - carving, jumping, slopestyle and simply having fun.

Kessler Air-Carve - Ride with Style, Shine on the Snow!

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------------------|----------|--------|
| BEGINNER | ••••• | RACING | •••••• |
| ADVANCED | •••••• | CARVING | •••••• |
| EXPERT | • • • • • • • • • | ALL MTN | •••••• |
| | | FREERIDE | •••••• |


SPECIFICATIONS

| Length | 1.54m | 1.59 m | 1.64 m |
|--------------------|----------|----------|----------|
| Tip width | 304 mm | 308 mm | 309 mm |
| Waist width | 250 mm | 255 mm | 260 mm |
| Tail width | 289 mm | 293 mm | 294 mm |
| Average radius | 9.5 m | 10.5 m | 12.5 m |
| Recommended stance | 510 mm | 530 mm | 550 mm |
| Stance range (mm) | 450-570 | 470-590 | 490-610 |
| Rider weight | 40-60 kg | 50-70 kg | 55-75 kg |

OPTIONS

| ArtNo. | Color | Length | | | | |
|--------------------|-------|--------|--------|--------|--|--|
| KS90.045 AIR-CARVE | 5 , | 1.54 m | 1.59 m | 1.64 m | | |

Specifically developed for the AIR-CARVE:
Art.-No.: KS91.032 K.Plate Rocket Cross





THE CROSS

It is amazing how easy carving can be with a soft boot and surprising how smoothly THE CROSS handles in all types of conditions. THE CROSS is the ultimate all-round board concept from the Kessler snowboard range and has made its mark in the world of snowboarding! Gold medals at Winter Olympic Games and at World Championships were won with THE CROSS in Boarder-X.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Titanal Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| 011711171011 | 2111011100 | | |
|--------------|------------|----------|--------|
| LEVEL | | STYLE | |
| BEGINNER | ••••• | RACING | ••••• |
| ADVANCED | •••••• | CARVING | ••••• |
| EXPERT | ••••• | ALL MTN | ••••• |
| | | FREERIDE | •••••• |
| | | | |

SPECIFICATIONS

| Length | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |
|--------------------|----------|-----------|----------|----------|----------|
| Tip width | 290 mm | 294 mm | 297 mm | 304 mm | 310 mm |
| Waist width | 238 mm | 242 mm | 246 mm | 250 mm | 258 mm |
| Tail width | 275 mm | 279 mm | 282 mm | 289 mm | 296 mm |
| Side Cut Range | 6-9.5 m | 6.5-9.5 m | 7–10 m | 8-11 m | 9–12 m |
| Recommended stance | 500 mm | 520 mm | 540 mm | 560 mm | 580 mm |
| Stance range (mm) | 460-540 | 480-560 | 500-580 | 520-600 | 540-620 |
| Rider weight | 40-55 kg | 48-65 kg | 55-75 kg | 60-85 kg | 75-98 kg |

OPTIONS

| ArtNo. | Color | Length | | | | |
|--------------------|-------|--------|--------|--------|--------|--------|
| KS90.053 The Cross | black | 1.48 m | 1.53 m | 1.58 m | 1.63 m | 1.68 m |

Specifically developed for THE CROSS:
Art.-No.: KS91.032 K.Plate Rocket Cross



BOARDER X

THE CROSS light

Lighter build, easier to control, easier to ride. For light riders who don't want weak boards, but demand as much bite and the same performance as the heavy hitters. THE CROSS LIGHT combines the uncompromising champion properties of THE CROSS with additional effortless control and the best handling. For sheer driving pleasure at the highest level.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.Tec BP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|-------|----------|--------|
| BEGINNER | ••••• | RACING | •••••• |
| ADVANCED | ••••• | CARVING | •••••• |
| EXPERT | ••••• | ALL MTN | ••••• |
| | | FREERIDE | ••••• |

SPECIFICATIONS

| Length | 1.48 m | 1.53 m | 1.58 m | 1.63 m |
|--------------------|----------|-----------|----------|----------|
| Tip width | 290 mm | 294 mm | 297 mm | 304 mm |
| Waist width | 238 mm | 242 mm | 246 mm | 250 mm |
| Tail width | 275 mm | 279 mm | 282 mm | 289 mm |
| Side Cut Range | 6-9.5 m | 6.5-9.5 m | 7–10 m | 8-11 m |
| Recommended stance | 500 mm | 520 mm | 540 mm | 560 mm |
| Stance range (mm) | 460-540 | 480-560 | 500-580 | 520-600 |
| Rider weight | 35-50 kg | 45-60 kg | 50-65 kg | 55-70 kg |

OPTIONS

| ArtNo. | Color | Length | | ••••••••••••••••••••••••••••••••••••••• | |
|--------------------------|------------|--------|--------|---|--------|
| KS90.062 The Cross light | white/grey | 1.48 m | 1.53 m | 1.58 m | 1.63 m |

Specifically developed for THE CROSS light: Art.-No.: KS91.032 K.Plate Rocket Cross



CONTOUR

Are you ready for freshly snow-covered deep-snow slopes or hard-packed pistes? With the new CONTOUR, anything is possible. The uncompromising power of this board ensures breathtaking performance in all conditions. The tapered directional shape gives the board enormous float in deep snow and conveys a unique surf feeling. The tried-and-tested Kessler Shape Technology also ensures enormous riding fun when carving on the piste. Depending on conditions and preferences, 7x2 inserts give you plenty of freedom when mounting your binding.

With the new CONTOUR, you are ready for anything.

FEATURES

- patented Kessler Shape Technology
- Clothoid Sidecut
- Sandwich Construction
- optimized K.TecBP woodcore
- ABS Sidewalls
- sintered Base

CHARACTERISTICS

| LEVEL | | STYLE | |
|----------|--------|----------|--------|
| BEGINNER | •••••• | RACING | ••••• |
| ADVANCED | •••••• | CARVING | •••••• |
| EXPERT | •••••• | ALL MTN | •••••• |
| | | FREERIDE | •••••• |

SPECIFICATIONS

| Length | 1.52 m | 1.57 m | 1.62 m | |
|--------------------|----------|----------|---------|----------|
| Tip width | 302 mm | 309 mm | 315 mm | <u> </u> |
| Waist width | 259 mm | 262 mm | 265 mm | |
| Tail width | 286 mm | 292 mm | 298 mm | |
| Average radius | 8.7 m | 8.8 m | 8.9 m | |
| Recommended stance | 520 mm | 540 mm | 560 mm | |
| Stance range (mm) | 440-600 | 460-620 | 480-640 | |
| Rider weight | 45-80 kg | 55-85 kg | 65+ kg | |
| | | | | |

OPTIONS

| ArtNo. | Color | Length | | | |
|------------------|------------|--------|--------|--------|--|
| KS90.091 Contour | white/grey | 1.52 m | 1.57 m | 1.62 m | |





SNOWBOARD PLATES AND COVERS

Boardcover SL/GS



Boardcover Cross



| Size | M: 148-159 | L: 160-176 | |
|--------|------------|------------|--|
| ••••• | | | |
| ArtNo. | KS93.090 | | |

Boardcover X-Carve



| Size | M: 152-161 | L: 162-171 |
|--------|------------|------------|
| | | |
| ArtNo. | KS93.100 | |

ROCKET CROSS

The K. Plate Rocket Cross has been designed to meet the highest demands of Boarder-Cross-Riders. Due to the increased elevation, the board can now get even more edge without the boot or binding touching the snow. The sleek form of the binding plate guarantees an equal application of pressure on the board whilst increasing the grip of the edges and improving riding stability.

The K. Plate Rocket Cross can be customised to the width of the board, and can be easily mounted on your own.

Length: 310 mm

Weight incl. screws: 1200 g

Adjustable width: 230, 242, 252 mm



Art.-No. KS91.032

HEADOFFICE

KESSLER-SWISS AG

Sernftalstrasse 33 8762 Schwanden

Phone +41 41 511 79 90

info@kessler-swiss.com www.kessler-swiss.com

SALES

SWITZERLAND

KESSLER-SWISS AG, Switzerland Phone: +41 41 511 79 90 info@kessler-swiss.com

GERMANY and AUSTRIA Skitrade Zippel Phone Harry: 49 160 8514526 Phone Andi: +49 171 7572652 skitrade.zippel@t-online.de

ITALIA

Ivo Rudiferia
Phone: +39 335 78 40 359
ivo.rudiferia@breakoutsport.it



INTERNATIONAL DISTRIBUTION

CANADA

Kessler Canada c/o Cyclo Chrome Inc 5945 Av. de Gaspé CDN-H2S 2X4 Montréal, Québec Contact: Pierre-Luc Langlois Phone: +1 514 918-5188 pllanglois@cyclochrome.com

CHINA

Beijing YuanDongYiGuan Sporting Goods Co. Ltd. No.6967, Unit 1, Building 1 No.33 Guangshun North Street CHN - 100007 Beijing, Chaoyang District manny@mycsports.com.cn

JAPAN

Winckler & Co Ltd. 9-1, 4-chome Chojamachi, Naka-ku JP - 232-00 Yokohama Contact: Yasuto Horikawa Phone +81 788821970 snow@wslc.co.jp

ALL OTHER COUNTRIES: KESSLER-SWISS AG, Switzerland Phone +41 41 511 79 90 info@kessler-swiss.com

KOREA (Snowboard)

H-Force Sung-won Hwang A8-57, 8F, Han River Misa 550 Misa-daero, Hanam-si KP - 12925 Gyeonggi-do Phone +82 25327944 jj3046@naver.com

KOREA (Ski)

KHB International 41 Teheran-ro 28--gil, Gangnam-gu KR-06223 Seoul Phone +82 2 6418 0468 dbehaos1@hanmail.net

SLOVENIA

Medi-sport, d.o.o. Stula 13 SL - 1210 Ljubljana Contact: Ales Rogelj Phone +38 641394972 ales.rogelj@kessler.si



Здесь больше каталогов брендов! Подпишись на наши соц сети: (ссылки)

ВК сообщество

Телеграм- канал

Новостной канал

amdsports.ru